\mathbb{R}^3 \mathbb{R}^3 \mathbb{R}^2 \mathbb{R}^3

A12

with a strong base to produce an anion; and

reacting said anion with a suitable Michael acceptor.

Remarks

Claims 1-17, 19-20, 24-26, and 28-37 are pending. The specification was amended to correct obvious, typographical errors. One of skill in the art would understand that recitation of " $CH_2(CH_3)_2$ " is clearly a typographical error and instead should read as " $CH(CH_3)_2$." Support for these changes can be found in Applicant's original specification, particularly at page 4, lines 19-24, in the table at page 8, in the table at page 9, in the table at page 79, and in the table at page 81. No new matter is added.

Additionally, the specification has been amended to correct an obvious error in the description of the compounds of formula (I). Support for the addition of "pyridylC₁₋₂alkyl, imidazolylC₁₋₂alkyl" to the description of R⁷ can be found in Applicant's original specification, particularly at page 10, lines 20-25, page 11, 5° line 6, Example Ib-5 at page 51, Example Ib-6 at page 51, and Example Ib-8 at page 52. No new matter is added.

Claim 18 was cancelled and rewritten as new Claim 31. Claim 27 was cancelled and rewritten as new Claim 37. Claims 21-23 have been cancelled. Claim 1 was amended to correct the clerical error described in the preceding paragraph with respect to the amendments to the specification. No new matter is added.

Claims 2-5 were amended to correct an obvious, typographical error. Support for this amendment can be found in Applicant's original specification, particularly at page 4, lines 19-24, in the table at page 8, in the table at page 9, and page 20, line 25. No new matter is added.

Claim 13 was amended to correct an obvious, typographical error. Support for this amendment can be found in Applicant's original specification, particularly at page 3, line 13, and page 10, line 23. No new matter is added.

Claims 31-37 have been added to complete the record. Support for these claims can be found in Applicant's original specification, particularly at page 69, lines 3-31, pages 3-14, page 69, and pages 21-22. No new matter is added.

Applicants respectfully submit that the instant application is in condition for substantive examination, which action is respectfully requested. The Examiner is invited to contact the undersigned at (919) 483-8222 to discuss this case further, if desired.

Respectfully submitted,

Lorie Ann Morgan, Esq.

Reg. No. 38,181

3/ Oct 'o/ GlaxoSmithKline, Inc. Corporate Intellectual Property Five Moore Drive P.O. Box 13398 Research Triangle Park, NC 27709

Marked-up Copy of Specification Page 5, lines 9-20: W is H; X is CH₂ or NH; n is 1; Y is CH₂; m is 0 or 1, provided that if X is CH₂, n is 1 and m is 0, then R¹ is not CH₂CH₃; Z is O; p is 0 or 1; R^1 is H, CH_3 , CH_2CH_3 , $(CH_2)_2CH_3$, $(CH_2)_3CH_3$, $[CH_2(CH_3)_2]$ $CH(CH_3)_2$, CH₂CH(CH₃)₂, C(CH₃)₃, benzyl, 4-pyridylmethyl; R² is phenyl, 2-fluorophenyl, 2-chlorophenyl or 2-pyridyl; R³ is CI, Br or NO₂: R⁴ is H, CH₃ or CH₂CH₂N(CH₂CH₃)₂; R⁵ and R⁶ together are O or S; or pharmaceutically acceptable salts and solvates thereof.

Page 5, line 22 and continuing to page 6, line 9:

W is H; X is CH₂ or NH; n is 1; Y is CH₂; m is 1; p is 0;

 R^1 is H, CH_3 , CH_2CH_3 , $(CH_2)_2CH_3$, $(CH_2)_3CH_3$, $[CH_2(CH_3)_2]$ $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $C(CH_3)_3$, benzyl, 4-pyridylmethyl or 3-pyridylmethyl; provided that if R1 is 3-pyridylmethyl or 4-pyridylmethyl, then X is CH2, n is 1, Y is CH_2 , m is 0 or 1, R^2 is 2-fluorophenyl, R^3 is CI, R^4 is H and R^5 and R⁶ together is oxygen;

R² is phenyl, 2-fluorophenyl, 2-chlorophenyl or 2-pyridyl, R³ is Cl, Br or NO₂:

R⁴ is H, CH₃ or CH₂CH₂N(CH₂CH₃)₂; provided that when R⁴ $CH_2CH_2N(CH_2CH_3)_2$, then X is CH_2 , n is 1, Y is CH_2 , m is 1, R^1 is CH_3 or benzyl, R² is 2-fluorophenyl, R³ is Cl and R⁵ and R⁶ together represent O; R⁵ and R⁶ together are O or S; or

pharmaceutically acceptable salts and solvates thereof.

```
Page 6, lines 12-23:
    W is H;
    X is CH<sub>2</sub> or NH; n is 1;
    Y is CH<sub>2</sub>; m is 0 or 1, provided that if X is CH<sub>2</sub> and m is 0, then R<sup>1</sup> is not
    CH<sub>2</sub>CH<sub>3</sub>;
    p is 0;
    R^1 is CH_3, CH_2CH_3, (CH_2)_2CH_3, (CH_2)_3CH_3, [CH_2(CH_3)_2] CH(CH_3)_2,
    CH<sub>2</sub>CH(CH<sub>3</sub>)<sub>2</sub>, C(CH<sub>3</sub>)<sub>3</sub>, benzyl or 4-pyridylmethyl;
    R<sup>2</sup> is 2-fluorophenyl, 2-chlorophenyl or 2-pyridyl,
    R<sup>3</sup> is Cl, Br or NO<sub>2</sub>;
    R<sup>4</sup> is H, CH<sub>3</sub> or CH<sub>2</sub>CH<sub>2</sub>N(CH<sub>2</sub>CH<sub>3</sub>)<sub>2</sub>;
    R<sup>5</sup> and R<sup>6</sup> together are O or S; or
    pharmaceutically acceptable salts and solvates thereof.
Paragraph beginning on page 6, line 25 and continuing to page 7, line 9:
    WisH;
    X is CH<sub>2</sub> or NH; n is 1;
    Y is CH<sub>2</sub>; m is 0 or 1, provided that if X is CH<sub>2</sub> and m is 0, then R<sup>1</sup> is not
    CH<sub>2</sub>CH<sub>3</sub>;
    p is 0;
```

 R^1 is CH_3 , CH_2CH_3 , $(CH_2)_2CH_3$, $(CH_2)_3CH_3$, $[CH_2(CH_3)_2]$ $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $C(CH_3)_3$, benzyl or 4-pyridylmethyl; provided that when R^1 is 4-pyridylmethyl, X is CH_2 , Y is CH_2 , m is 1, R^2 is 2-fluorophenyl, R^3 is CI, R^4 is H and R^5 and R^6 together represent oxygen;

R² is 2-fluorophenyl, 2-chlorophenyl or 2-pyridyl,

R³ is CI, Br or NO₂;

 R^4 is H, CH_3 or $CH_2CH_2N(CH_2CH_3)_2$; provided that when R^4 is $CH_2CH_2N(CH_2CH_3)_2$, then X is CH_2 , Y is CH_2 , m is 1, R^1 is CH_3 or benzyl, R^2 is 2-fluorophenyl, R^3 is Cl and R^5 and R^6 together represent O;

R⁵ and R⁶ together represent O or S; or

pharmaceutically acceptable salts and solvates thereof.

Paragraph on page 3, lines 5-25:

wherein

W is H or C₁-C₄ branched alkyl or a straight chained alkyl:

X is CH₂, NH, or NCH₃; n is 1 or 2;

Y is O, CH_2 ; m is 0 or 1, provided that if X is CH_2 , n is 1 and m is 0, then R^1 is not CH_2CH_3 ;

Z is O; p is 0 or 1;

 R^1 is H, a C_1 - C_7 straight chain alkyl, a C_3 - C_7 branched chain alkyl, a C_1 - C_4 haloalkyl, a C_3 - C_7 cycloalkyl, an aryl, a heteroaryl, an aralkyl, or a heteroaralkyl;

R² is phenyl, 2-halophenyl or 2-pyridyl,

R³ is H, Cl, Br, F, I, CF₃ or NO₂;

(1) R^4 is H, C_1 - C_4 alkyl, or dialkylaminoalkyl and R^5 and R^6 together represent a single oxygen or S atom which is linked to the diazepine ring by a double bond and p is zero or 1 (as depicted in formula la); or (2) R^4 and R^5 together form a double bond in the diazepine ring and R^6 represents the group NHR⁷ wherein R^7 is H, C_{1-4} alkyl, C_{1-4} hydroxyalkyl, pyridyl C_{1-2} alkyl, imidazolyl C_{1-2} alkyl, benzyl or benzyl mono or disubstituted independently with halogen substituents, C_{1-4} alkylpyridyl or C_{1-4} alkylimidazolyl and p is zero (as depicted in formula lb);

or (3) R^4 , and R^6 form the group $-CR^8$ =U-V= wherein R^8 is hydrogen, C_{1-4} alkyl, or C_{1-3} hydroxyalkyl, U is N or CR^9 wherein R^9 is H, C_{1-4} alkyl, C_{1-4} alkoxy- C_{1-4} alkyl, V is N or CH and p is zero (as depicted in formula Ic);

or pharmaceutically acceptable salts and or solvates thereof.

Marked-up Copy of Amended Claims

1. (Amended) A compound of formula (I):

$$R^3$$
 R^4
 R^5
 R^6
 W
 $(X)_n$
 $(Y)_m$
 OR^7

Formula (I)

wherein

W is H, a C₁-C₄ branched alkyl, or straight chained alkyl;

X is CH₂, NH or NCH₃; n is 1 or 2;

Y is O or CH_2 ; m is 0 or 1, provided that if X is CH_2 , n is 1 and m is 0, then R^1 is not CH_2CH_3 ;

Z is O; p is 0 or 1;

 R^1 is H, a C_1 - C_7 straight chain alkyl, a C_3 - C_7 branched chain alkyl, a C_1 - C_4 haloalkyl, a C_3 - C_7 cycloalkyl, an aryl, a heteroaryl, an aralkyl, or a heteroaralkyl;

R² is phenyl, 2-halophenyl or 2-pyridyl,

R³ is H, Cl, Br, F, I, CF₃ or NO₂; and wherein

(1) R^4 is H, a C_1 - C_4 alkyl, or a dialkylaminoalkyl and R^5 and R^6 together represent a single oxygen or S atom which is linked to the diazepine ring by a double bond and p is zero or 1; or (2) R^4 and R^5 together is a double bond in

the diazepine ring and R^6 represents the group NHR⁷ wherein R^7 is H, C_{1-4} alkyl, C_{1-4} hydroxyalkyl, pyridyl C_{1-2} alkyl, imidazolyl C_{1-2} alkyl, benzyl, [or] benzyl mono or disubstituted independently with halogen substituents, C_{1-4} alkylpyridyl or C_{1-4} [alkylmidazolyl] alkylimidazolyl and p is zero; or (3) R^4 , R^5 and R^6 form the group $-CR^8$ =U-V= wherein R^8 is hydrogen, C_{1-4} alkyl or C_{1-3} hydroxyalkyl, U is N or CR^9 wherein R^9 is H, C_{1-4} alkyl, C_{1-3} hydroxyalkyl or C_{1-4} alkoxy, C_{1-4} alkyl, V is N or CH and p is zero; [or] and pharmaceutically acceptable salts [and] or solvates thereof.

2. (Amended) A compound according to claim 1 wherein

W is H;

X is CH₂ or NH; n is 1;

Y is CH_2 ; m is 0 or 1, provided that if X is CH_2 , n is 1 and m is 0, then R^1 is not CH_2CH_3 ;

Z is O; p is 0 or 1;

 R^1 is H, CH_3 , CH_2CH_3 , $(CH_2)_2CH_3$, $(CH_2)_3CH_3$, $[CH_2(CH_3)_2]$ $CH_2CH(CH_3)_2$, $C(CH_3)_3$, benzyl, 4-pyridylmethyl or 3-pyridylmethyl;

R² is phenyl, 2-fluorophenyl, 2-chlorophenyl or 2-pyridyl;

 R^3 is Cl, Br or NO_2 ;

R⁴ is H, CH₃ or CH₂CH₂N(CH₂CH₃)₂;

R⁵ and R⁶ together are either O or S; [or] <u>and</u> pharmaceutically acceptable salts [and] <u>or</u> solvates thereof.

3. (Amended) A compound according to claim 1 wherein

W is H;

X is CH₂ or NH; n is 1;

Y is CH₂; m is 1;

p is 0;

 R^1 is H, CH_3 , CH_2CH_3 , $(CH_2)_2CH_3$, $(CH_2)_3CH_3$, $[CH_2(CH_3)_2]$ $\underline{CH(CH_3)_2}$, $CH_2CH(CH_3)_2$, $C(CH_3)_3$, benzyl, 4-pyridylmethyl or 3-pyridylmethyl; provided that if R^1 is 3-pyridylmethyl or 4-pyridylmethyl, then X is CH_2 , n is 1, Y is CH_2 , m is 0 or 1, R^2 is 2-fluorophenyl, R^3 is CI, R^4 is H and R^5 and R^6 together are O;

R² is phenyl, 2-fluorophenyl, 2-chlorophenyl or 2-pyridyl,

R³ is Cl. Br or NO₂:

R⁴ is H, CH₃ or CH₂CH₂N(CH₂CH₃)₂; provided that when CH₂CH₂N(CH₂CH₃)₂, X is CH₂, n is 1, Y is CH₂, m is 1, R¹ is CH₃ or benzyl, R² is 2-fluorophenyl, R³ is CI and R⁵ and R⁶ together is O;

R⁵ and R⁶ together are O or S; [or] and

pharmaceutically acceptable salts [and] or solvates thereof.

4. (Amended) A compound according to claim 1 wherein

W is H;

X is CH₂ or NH; n is 1;

Y is CH₂; m is 0 or 1, provided that if X is CH₂ and m is 0, then R¹ is not CH₂CH₃;

p is 0;

 R^1 is CH_3 , CH_2CH_3 , $(CH_2)_2CH_3$, $(CH_2)_3CH_3$, $[CH_2(CH_3)_2]$ $\underline{CH(CH_3)_2}$, CH₂CH(CH₃)₂, C(CH₃)₃, benzyl or 4-pyridylmethyl;

R² is 2-fluorophenyl, 2-chlorophenyl or 2-pyridyl,

R³ is CI, Br or NO₂;

 R^4 is H, CH_3 or $CH_2CH_2N(CH_2CH_3)_2$;

R⁵ and R⁶ together [is] are O or S; [or] and

pharmaceutically acceptable salts [and] or solvates thereof.

5. (Amended) A compound according to claim 1 wherein

W is H;

X is CH₂ or NH; n is 1;

Y is CH2; m is 0 or 1, provided that if X is CH2 and m is 0, then R1 is not CH₂CH₃;

p is 0;

 R^1 is CH_3 , CH_2CH_3 , $(CH_2)_2CH_3$, $(CH_2)_3CH_3$, $[CH_2(CH_3)_2]$ $CH(CH_3)_2$ CH₂CH(CH₃)₂, C(CH₃)₃, benzyl or 4-pyridylmethyl; provided that when R¹ is 4pyridylmethyl, then X is CH₂, n is 1, Y is CH₂, m is 1, R² is 2-fluorophenyl, R³ is Cl, R⁴ is H and R⁵ and R⁶ together [is] are O;

R² is 2-fluorophenyl, 2-chlorophenyl or 2-pyridyl,

R³ is CI, Br or NO₂;

 R^4 is H, CH_3 or $CH_2CH_2N(CH_2CH_3)_2$; provided that when R^4 is $CH_2CH_2N(CH_2CH_3)_2$, X is CH_2 , n is 1, Y is CH_2 , m is 1, R^1 is CH_3 or benzyl, R^2 is 2-fluorophenyl, R^3 is Cl and R^5 and R^6 together [is] <u>are</u> O; R^5 and R^6 together are O or S; [or] and

pharmaceutically acceptable salts [and] or solvates thereof.

6. (Amended) A compound according to claim 1 wherein [in each compound] W is H and [wherein] X, n, Y, m, Z, p and R¹⁻⁶ for each compound are as follows:

		T	Т	\neg						
X	n		М	Z			R ²	R^3	R ⁴	R⁵R ⁶
CH ₂	↓_	CH ₂			0	CH ₃	2-fluorophenyl	CI	Н	0
CH ₂			0		0	CH ₃	2-fluorophenyl	CI	Н	0
CH ₂	1	CH ₂	1		0	CH ₃	2-fluorophenyl	Br	Н	0
CH ₂	1	CH ₂	1		0	benzyl	2-fluorophenyl	CI	Н	0
CH ₂	1		0		0	benzyl	2-fluorophenyl	CI	Н	0
CH ₂	1	CH ₂	1		0	CH ₃	2-chlorophenyl	CI	Н	0
CH ₂	1	CH ₂	2		0	CH ₃	2-fluorophenyl	CI	Н	0
CH ₂	1	CH ₂	1		0	benzyl	2-pyridyl	CI	Н	0
CH ₂	1	CH ₂	1		0	CH ₃	2-pyridyl	Br	Н	0
CH ₂	1	CH ₂	1		0	CH ₃	2-pyridyl	CI	Н	0
CH ₂	1	CH ₂	2		0	C(CH ₃) ₃	2-fluorophenyl	CI	Н	0
CH ₂	1	CH ₂	1		0	CH ₃	2-fluorophenyl	NO ₂	Н	0
CH ₂	1	CH ₂	1		0	(CH ₂) ₂ CH ₃	2-pyridyl	CI	Н	0
CH ₂	1	CH ₂	1		0	CH ₂ CH ₃	2-pyridyl	CI	н	0
CH ₂	1	CH ₂	1		0	4-pyridylmethyl	2-fluorophenyl	CI	Н	0
CH ₂	1	CH ₂	1		0	(CH ₂) ₃ CH ₃	2-fluorophenyl	CI	Н	0
CH ₂	1	CH ₂	1		0	(CH ₂) ₃ CH ₃	2-pyridyl	CI	Н	0
CH ₂	1	CH ₂	1		0	CH ₂ CH(CH ₃) ₂	2-pyridyl	CI	Н	0
CH ₂	1		0		0	CH ₂ CH ₃	2-fluorophenyl	CI	Н	0
CH ₂	1	CH ₂	1		0	CH(CH ₃) ₂	2-fluorophenyl	CI	Н	0
CH ₂	1	CH ₂	1		0	CH ₃	2-fluorophenyl	CI	CH ₂ CH ₂ N(CH ₂ CH ₃) ₂	0

CH ₂	. 1	CH ₂	Τ1	T	Το	T	T 0 0		_	
<u> </u>	_						2-fluorophenyl	CI	CH ₃	0
CH ₂			0		0	benzyl	2-fluorophenyl	CI	CH ₃	0
CH ₂	1	CH ₂	1		0	benzyl	2-fluorophenyl	CI	CH ₂ CH ₂ N(CH ₂ CH ₃) ₂	0
NH	1	CH ₂	1		0	CH ₃	2-chlorophenyl	CI	Н	0
NH	1	CH ₂	2		0	CH ₃	2-chlorophenyl	CI	Н	0
CH ₂	1	CH ₂	1		0	CH ₃	2-fluorophenyl	CI	Н	S
CH ₂	1	CH ₂	1	T	0	CH ₃	2-chlorophenyl	CI	н	<u> </u>
CH ₂	1	CH ₂	1		0	CH ₃	2-pyridyl	CI	Н	S
CH ₂	1	CH ₂	1	0	1	CH ₃	2-fluorophenyl	CI	Н Н	0
CH ₂	1	CH ₂	1		0	benzyl	phenyl	NO ₂	Н	0
CH ₂	1	CH ₂	1		0	CH ₃	2-fluorophenyl	Н	н	0
CH ₂	1	CH ₂	1		0	CH ₃	2-pyridyl	NO ₂	Н	0
CH ₂	1	CH ₂	1		0	benzyl	2-pyridyl	NO ₂	н	0
CH ₂	1	CH ₂	1		0	benzyl	2-fluorophenyl	Н	Н	0
CH ₂	1	CH ₂	1		0	CH ₃	phenyl	NO ₂	Н Н	0
NH	1	CH ₂	2		0	(CH ₂) ₃ CH ₃	2-fluorophenyl	CI	Н	0
CH ₂	1		0		0	3-pyridylmethyl	2-fluorophenyl	CI	н	0
CH ₂	1		0		0	4-pyridylmethyl	2-fluorophenyl	CI	Н	0.

7. (Amended) A compound according to claim 1 wherein [in each compound] W is H and [wherein] X, n, Y, m, Z, p and R^{1-6} for each compound are as follows:

	4								
n	Y	М	Z	р	R ¹	R ²	R ³	R ⁴	R⁵R ⁶
1	CH ₂	1		0	CH ₃	2-fluorophenyl	CI	Н	0
1		0		0	CH ₃	2-fluorophenyl	CI	Н	0
1	CH ₂	1		0	CH ₃	2-fluorophenyl	Br	Н	0
1	CH ₂	1	-	0	benzyl	2-fluorophenyl	CI	Н	0
1		0		0	benzyl	2-fluorophenyl	CI	Н	0
1	CH ₂	1		0	CH ₃	2-chlorophenyl	CI	Н	0
1	CH ₂	2		0	CH ₃	2-fluorophenyl	CI	Н	0
	1 1 1 1 1	1 CH ₂ 1 1 CH ₂ 1 CH ₂ 1 CH ₂ 1 1 CH ₂	1 CH ₂ 1 1 0 1 CH ₂ 1 1 CH ₂ 1 1 CH ₂ 1 1 0 1 CH ₂ 1	1 CH ₂ 1	1 CH ₂ 1 0	1 CH ₂ 1 0 CH ₃ 1 CH ₂ 1 0 CH ₃ 1 CH ₂ 1 0 CH ₃ 1 CH ₂ 1 0 benzyl 1 CH ₂ 1 0 benzyl 1 CH ₂ 1 0 CH ₃	1 CH2 1 0 CH3 2-fluorophenyl 1 0 0 CH3 2-fluorophenyl 1 CH2 1 0 CH3 2-fluorophenyl 1 CH2 1 0 benzyl 2-fluorophenyl 1 0 0 benzyl 2-fluorophenyl 1 CH2 1 0 CH3 2-chlorophenyl	1 CH2 1 0 CH3 2-fluorophenyl Cl 1 0 0 CH3 2-fluorophenyl Cl 1 CH2 1 0 CH3 2-fluorophenyl Br 1 CH2 1 0 benzyl 2-fluorophenyl Cl 1 CH2 1 0 benzyl 2-fluorophenyl Cl 1 CH2 1 0 CH3 2-chlorophenyl Cl	1 CH2 1 0 CH3 2-fluorophenyl Cl H 1 0 0 CH3 2-fluorophenyl Cl H 1 CH2 1 0 CH3 2-fluorophenyl Br H 1 CH2 1 0 benzyl 2-fluorophenyl Cl H 1 CH2 1 0 CH3 2-fluorophenyl Cl H 1 CH2 1 0 CH3 2-chlorophenyl Cl H 1 CH2 2 0 CH3 2-chlorophenyl Cl H

СН	<u>. T</u> 1	CH	, T	1		Το	benzyl	2-pyridyl	T 01	T	
	1						ļ <u>_</u>		CI	H	0
CH;	1			'		0	CH ₃	2-pyridyl	Br	Н	0
CH ₂		J 02		'		0	CH ₃	2-pyridyl	CI	Н	0
CH ₂	2 1	CH ₂	2	2		0	C(CH ₃) ₃	2-fluorophenyl	CI	н	0
CH ₂	2 1	CH ₂				0	CH ₃	2-fluorophenyl	NO ₂	Н	0
CH ₂		CH ₂	1			0	(CH ₂) ₂ CH ₃	2-pyridyl	CI	Н	0
CH ₂		CH ₂	1			0	CH ₂ CH ₃	2-pyridyl	CI	Н	0
CH ₂		CH ₂		\perp		0	4-pyridylmethyl	2-fluorophenyl	CI	Н	0
CH ₂		CH ₂				0	(CH ₂) ₃ CH ₃	2-fluorophenyl	CI	Н	0
CH ₂	丄	CH ₂	1		-	0	(CH ₂) ₃ CH ₃	2-pyridyl	CI	Н	0
CH ₂	1	CH ₂	1			0	CH ₂ CH(CH ₃) ₂	2-pyridyl	CI	Н	0
CH ₂	<u> </u>		0			0	CH ₂ CH ₃	2-fluorophenyl	CI	Н	0
CH ₂	1	CH ₂	1]	0	CH(CH ₃) ₂	2-fluorophenyl	CI	Н	0
CH ₂	1	CH ₂	1			0	CH ₃	2-fluorophenyl	CI	CH ₂ CH ₂ N(CH ₂ CH ₃) ₂	0
CH ₂	1	CH ₂	1]-		0	CH ₃	2-fluorophenyl	CI	CH ₃	0
CH ₂	1		0	:]	0	benzyl	2-fluorophenyl	CI	CH ₃	0
CH ₂	1	CH ₂	1			0	benzyl	2-fluorophenyl	CI	CH ₂ CH ₂ N(CH ₂ CH ₃) ₂	0
NH	1	CH ₂	1	-		0	CH ₃	2-chlorophenyl	CI	Н	0
NH	1	CH ₂	2	-		0	CH ₃	2-chlorophenyl	CI	Н	0
CH ₂	1	CH ₂	1	-	-	0	CH ₃	2-fluorophenyl	CI	Н	s
CH ₂	1	CH ₂	1	-	-	0	CH ₃	2-chlorophenyl	CI	Н	s
CH ₂	1	CH ₂	1	-	_ }	0	CH ₃	2-pyridyl	CI	Н	s
CH ₂	1	CH ₂	1	C		1	CH ₃	2-fluorophenyl	CI	Н	0.

8. (Amended) A compound according to claim 1 wherein [in each compound] W is $H_{\underline{i}}$ [and] p is 0, and [wherein] X, n, Y, m, R^{1-5} for each compound are as follows:

Х	n	Y	m	R ¹	R^2	R ³	R ⁴	R ⁵ and R ⁶
CH ₂	1	CH ₂	1	CH ₃	2-fluorophenyl	CI	Н	0

CH ₂	1	CH ₂	1	CH ₃	2-fluorophenyl	Br	Н	0
CH ₂	1	CH ₂	1	CH ₃	2-pyridyl	CI	Н	0
CH ₂	1	CH ₂	1	CH ₃	2-fluorophenyl	CI	CH ₃	О.

- 9. (Amended) A compound according to claim 1 wherein W is H, X is CH_2 , n is 1, Y is CH_2 , m is 1, p is 0, R^1 is CH_3 , R^2 is 2-fluorophenyl, R^3 is CI, R^4 is H and R^5 and R^6 together [is] <u>are</u> O.
- 12. (Amended) A compound according to claim 10, wherein [in each compound] W is H, X is CH₂, n is 1, Y is CH₂, m is 1, R¹ is CH₃, and [wherein] R², R³ and R⁷ [for each compound] are as follows:

R ²	R ³	R ⁷
2-fluorophenyl	CI	CH ₃
2-pyridyl	CI	CH ₃
2-fluorophenyl	CI	CH ₂ CH ₃
2-fluorophenyl	CI	benzyl
2-fluorophenyl	CI	4-pyridylmethyl
2-fluorophenyl	CI	4-pyridylethyl
2-fluorophenyl	CI	CH ₂ CH(CH ₃) ₂
2-fluorophenyl	CI	2-(4-imidazolyl)ethyl
2-fluorophenyl	CI	CH ₂ CH ₂ OH
2-fluorophenyl	Br	CH ₃
2-chlorophenyl	CI	CH ₃ .

- 13. (Amended) A compound according to claim 10, wherein [in each compound] W is H, X is CH₂, n is 1, Y is CH₂, m is 1, R¹ is CH₃, [R³] R² is 2-fluorophenyl, R³ is chlorine or bromine and R⁷ is methyl.
- 15. (Amended) A compound [of] according to claim 1 wherein p is zero and R⁴, R⁵ and R⁶ together form the group –C(R⁸)=U-V=.

19. (Amended) A compound according to claim 15, wherein [in each compound] W is H, X is CH₂, n is 1, Y is CH₂, m is 1 and [wherein] R¹, R², R³, R⁸, U and V [for each compound] are as follows:

R ¹	R ²	R ³	R ⁸	U	V
CH ₃	2-pyridyl	Br	CH ₃	СН	N
CH ₃	2-pyridyl	CI	CH ₃	СН	N
CH ₃	2-fluorophenyl	CI	CH ₃	N	СН
CH ₃	2-pyridyl	Br	Н	C-CH ₃	N.

- 20. (Amended) A compound according to claim 15, wherein [in] W is H, X is CH_2 , n is 1, Y is CH_2 , m is 1, R^1 is CH_3 , R^2 is 2-pyridyl, R^3 is Br, R^8 is CH_3 , U is CH and V is N.
- 24. (Amended) A method of producing sedation or hypnosis, inducing anxiolysis, inducing muscle relaxation [in a mammal] or treating convulsions in a mammal which comprises administering to the mammal an effective amount of a compound of claim 1.
- 25. (Amended) A method of producing sedation or hypnosis, inducing anxiolysis, inducing muscle relaxation [in a mammal] or treating convulsions in a mammal which comprises administering to the mammal an effective amount of a compound of claim 10.
- 26. (Amended) A method of producing sedation or hypnosis, inducing anxiolysis, inducing muscle relaxation [in a mammal] or treating convulsions in a mammal which comprises administering to the mammal an effective amount of a compound of claim 15.